



DEMAR<sup>®</sup>  
DOOR

# WOODEN

# SOLID CORE DOOR

[www.demar.in.th](http://www.demar.in.th) \_\_\_\_\_



- Wooden door
- Wooden Acoustic door
- Wooden Solid Core
- X-RAY Radiation Shielding Door

CS PLUS INTERTRADE บริษัท ซีเอส พลัส อินเตอร์เทรด จำกัด

63/2526 Soi Rat Phatthana 5, Saphan Sung, Bangkok Thailand 10240

Tel.(+66)02-540-4511/Fax.02-917-2511

Email. : [csplusintertrade@gmail.com](mailto:csplusintertrade@gmail.com) / [www.demar.in.th](http://www.demar.in.th)

## DEMAR SOLID CORE DOOR

The Solid Core doors are made from solid particle through a humidification process. As a result, high density fiber sheets reduce the problem of the bending of the flower stalks. The flower stalks also have Reduction efficiency, durability and privacy when used. It works inside and out.



### Standard quality products



DEMAR  
SOLID CORE

- \* MDF and HMR moisture-proof or laminated surface-sealing materials.
- \* The bloomer weighs approximately 27-32 Kg.
- \* The standard door size is 70-90 centimeters high, 200 centimeters high, 3.5 centimeters thick.
- \* Special models can be ordered or of the desired size and pattern.
- \* It can be colored with acrylic, a slow-drying, quick-drying oil paint, or any type of dye.
- \* All structures meet the industry standard criteria. 192-2549

\* Multipurpose door doors are easy to install and can be used with regular or synthetic wood frogs. It can drill screws, bolts, shock absorber and other devices like a regular door handle, and adjust the edges of the frame to the desired size.



# SPEC Flat Panel



SPEC แบบบานลูกพีท  
แบบเทร็ดระบายน



SPEC แบบบานเทร็ด



SPEC แบบบานเซาร่อง  
กระจกแต่ง








SPEC แบบบานเรียบ  
เซาร่อง



SPEC แบบบานลูกพีท



- withstand the shock
- Strong is not easily broken
- No corruption, no bending
- No spreading fire.
- tolerate the environment of a country
- be resistant to chemicals
- prevent internal noise
- Easy installation. Convenient.

Form	a blooming complexion	Size (cm))Wide x Long x Thick	Color
-Scaled pod inflorescence	MDF wood	70x200x3.5	 White
-a flat of scales	HMR wood.	80x200x3.5	 Grey
-The pane erodes the windowpane.	LAMINATE	90x200x3.5	 Oak
-The flattened bloom eroded the furrows.		(Extra-size manufactured) Extra height up to 270 cm.	 Wood color Natural
-The pod's bloom		Extra width up to 120 cm. or to the desired size)	 Custom color

Note: \*Nature material products may have a difference in wood color.

\*Each product has a minimum production requirement in accordance with the company's specifications.



**DEMAR<sup>®</sup>**  
**DOOR**

CS PLUS INTERTRADE บริษัท ซีเอส พลัส อินเตอร์เทรด จำกัด

63/2526 Soi Rat Phatthana 5, Saphan Sung, Bangkok Thailand 10240

Tel.(+66)02-540-4511/Fax.02-917-2511

Email. : [csplusintertrade@gmail.com](mailto:csplusintertrade@gmail.com) / [www.demar.in.th](http://www.demar.in.th)